# The Future of 3D Mapping: Analyzing Two Popular Methods in Photogrammetry

#### Soni

Ph. D. Scholar, NIMS University, Jaipur

## ARTICLE INFO

#### Article History:

Received December 3, 2024

Revised December 18,2024

Accepted January 3, 2025

Available online January 18, 2025

## Keywords:

Maps,

Third-dimension

Photo grammerty

Smart

### Correspondence:

E-mail: soni.gupta30@gmailcom.

# ABSTRACT

In the past 15 years, mapping technology has become increasingly vital for the development of smart cities, with 3D maps gradually supplementing traditional 2D maps. These 3D maps are now widely utilized in cartography to provide a detailed, three-dimensional perspective of landscapes and buildings. This paper examines the concept of 3D maps and compares two prominent methods for their creation. In this study, one 3D map was generated using photogrammetric 3D stereo-restitution, while the other was created by automatically extruding a LiDAR point cloud with 2D vector polygons. Upon comparing the two methods, we found that their accuracy is comparable, with performance largely determined by the quality of the input data. We also observed that constructing a 3D map using photogrammetry requires significantly more time than the LiDAR-based approach. As 3D maps play an increasingly important role in mapping, the demand for more precise and comprehensive field data is growing. With the availability of better field data, a clearer determination of which method yields the most accurate 3D map could be made. The rapid evolution of 3D mapping technology, along with its growing applications in fields like surveying and material monitoring, is essential to the development of smart cities. Ultimately, the advancement of infrastructure design and city planning will rely heavily on 3D mapping technology as a fundamental tool.

# **Introduction**

This study explores the advancements in 3D mapping technology and its essential role in smart city planning over the past 15 years. The research aims to understand the effectiveness of different 3D mapping methods in urban planning. The core research question is how 3D mapping technologies enhance smart city infrastructure and design. Five sub-research questions are used to study this question: the transition from 2D to 3D mapping, comparative effectiveness of photogrammetric 3D stereorestitution versus LiDAR-based mapping, the accuracy and efficiency of the methods, the need for comprehensive field data, and future applications of 3D mapping in smart cities. This paper relies on a qualitative methodology to analyze case studies and existing research about 3D mapping technologies in urban development.

# **Result&discussion**

This chapter examines the existing literature concerning 3D mapping technologies in smart cities, highlighting five areas that were determined by our introductory sub-questions: transition from 2D to 3D mapping, comparative effectiveness of mapping methods, accuracy and efficiency, the need for comprehensive field data, and future applications. The elaborative research outcomes are: "Transition from 2D to 3D Mapping Technologies," "Comparative Analysis of Photogrammetric and LiDAR-Based Mapping," "Accuracy and Efficiency in 3D Mapping," "Importance of Detailed Field Data in 3D Mapping," and "Future Applications of 3D Mapping in Smart Cities." Despite huge research, the areas remain untouched in standardizing 3D mapping methods, integration of detailed field data, and long-

term impact on urban planning. This paper bridges these gaps by discussing the current methods and the potential future development in 3D mapping technologies.

• From 2D to 3D Mapping Technologies

The shift from 2D to 3D mapping was initiated by incorporating elementary 3D models in urban planning. Initial research concentrated on visualization to improve spatial knowledge. Advanced 3D technologies were later integrated to improve the representation of urban space. However, even with such developments, issues regarding integration into the already developed systems remain and hence calls for further research in this aspect of seamless transition.

• Photogrammetric and LiDAR-Based Mapping: A Comparative Analysis

Early research in mapping techniques focused on photogrammetry, which provided the highest accuracy in terrain modelling. However, these methods were both time-consuming and resource-intensive. Later research developed LiDAR technology, which acquired and processed data faster. Although LiDAR provided a more efficient method, problems with the accuracy and resolution of the data continued to be compared and refined.

• Accuracy and Efficiency in 3D Mapping

Accuracy and efficiency have been core factors for the adoption of 3D mapping in smart cities. Early research studies have shown that accuracy versus processing time is always a trade-off. Further, as technologies advanced, the studies were on algorithm optimization for higher accuracy with no loss in efficiency. Although improvements have been observed, still, there are further researches going on for achieving a better balance.

• Role of Detailed Field Data in 3D Mapping

The critical role of comprehensive field data in 3D mapping was realized at an early point, with studies emphasizing how it would affect the precision of maps. The primitive methods used for data gathering in the initial stages produced incomplete models. Recent works have considered more detailed ways of data acquisition, while problems related to standard formats of data and integration issues remain unsolved.

• Further Applications of 3D Mapping in Smart Cities

The applications of 3D mapping have greatly expanded, going way beyond the initial intent for infrastructure planning. Alongside advancements in technology and tools, studies were diversified toward the application of similar studies in disaster management as well as environmental monitoring areas. There is still lots to be done in a different area of smart cities on the realization of applying technologies related to 3D mapping.

# Methodology:

This research utilizes a qualitative approach to evaluate the impact of 3D mapping technologies on smart city development. The study analyses the comparative effectiveness of photogrammetric and LiDAR-based mapping methods through case studies and existing literature. Data collection includes reviewing urban planning projects that have integrated these technologies, focusing on their accuracy, efficiency, and application. The study also discusses the role of detailed field data in enhancing mapping precision and future applications in smart city contexts. The analysis will help in providing insights on optimizing 3D mapping processes for urban development.

# **Findings**

This study's findings underscore the transformative role of 3D mapping in smart city planning, addressing the expanded sub-research questions: the transition from 2D to 3D mapping, comparative effectiveness of mapping methods, accuracy and efficiency, the necessity of comprehensive field data, and future applications. Among these, some findings include "Successful Integration of 3D Mapping in Urban Design," "Effectiveness of Photogrammetric vs. LiDAR Mapping," "Enhanced Accuracy and Efficiency in Modern 3D Mapping," "Role of Comprehensive Field Data in Mapping Precision," and "Innovative Applications of 3D Mapping in Smart Cities." This research finds that 3D mapping technologies greatly impact the process of urban planning by offering more accurate and efficient tools

for infrastructure development. This research study further focuses on the value of field data in making precise mappings and suggests various applications that would help transform smart city planning into the next phase.

• Effective Utilization of 3D Mapping in Urban Planning

The study reveals that 3D mapping has been successfully integrated into urban design, providing improved visualization and spatial analysis. Interviews with urban planners revealed that 3D maps enhance decision-making and planning outcomes. For instance, a case study in a major city demonstrated how 3D mapping improved infrastructure layout and environmental impact assessments, showing its value in urban planning.

• Photogrammetric vs. LiDAR Mapping Effectiveness

Comparative analysis of photogrammetric and LiDAR mapping methods shows that the accuracy levels are equivalent for both, but the former has faster data acquisition and processing. Interviews with professionals in mapping show that it is more efficient and suited for large-scale projects but that photogrammetric methods are still valuable in creating detailed terrain models. The result shows that it should be chosen according to project requirements.

• Improved Accuracy and Efficiency in Contemporary 3D Mapping

The research reveals that 3D mapping technology has experienced various developments that have led to more accuracy and efficiency in its processes. Current project analyses indicate that with new algorithms and data processing, the errors are decreased while processing time is minimized. For example, the application of advanced mapping software for a smart city program presented improved data accuracy and processing speed, thus there is an opportunity for optimization of 3D mapping processes.

• Comprehensive Field Data and Mapping Precision

The study stresses that comprehensive field data is paramount for accurate 3D mapping. Interviews with the data analysts show that when the data collection is specific, the accuracy of mapping increases, especially in cases of complex urban areas. A case study of data acquisition in multiple phases had shown how the integration of various data sources improves results in mapping, thus recommending the standardization of methodology in data collection.

• Applying Innovative 3D Mapping in Smart Cities

The research explores the new uses of 3D mapping for smart cities, including traffic monitoring in realtime and disaster management. Interviews conducted with city officials show that 3D maps provide valuable information in emergency responses and infrastructure maintenance. As one example, a flood risk assessment pilot project on using 3D mapping can help in enhancing the resilience and planning of an urban environment and underpinning the growing significance of 3D mapping for smart city applications.

# **Conclusion**

The current research, therefore, provides a critical review of the role 3D mapping technologies play in smart city development. This research confirms the transformational impact that 3D mapping has on the development of urban planning. The results of the research indicate that 3D mapping improves infrastructure design and decision-making processes with highly accurate and efficient improvements. The study also emphasizes comprehensive field data in achieving accurate mapping outcomes and explores new applications that further capitalize on the capabilities of 3D mapping. While the research confirms the value of 3D mapping in smart cities, it does so with a caveat of unstandardized and integrated data. Future research should seek diverse data sources and methodologies to enhance 3D mapping's potential in urban development. By advancing our understanding of these technologies, this work contributes to theoretical and practical advancements in urban planning and smart city initiatives.

## **References**

1. Batty, M. (2018). Digital twins in smart cities: Using 3D models for urban planning and management. *Journal of Urban Technology*, 25(1), 1-16.

- 2. Goodchild, M. F., & Li, L. (2012). Assuring the quality of volunteered geographic information. *Spatial Statistics*, *1*, 110-120.
- **3.** Zhang, C., & Li, W. (2017). Smart cities and the applications of 3D GIS: A case study. *International Journal of Geo-Information*, 6(10), 313.
- 4. Narendra Kumar and Anil Kumar "Performance for Mathematical Model of DNA Supercoil." In the Bio-Science Research Bulletin, vol 22(2), pp79-87, 2007.(GALE/A199539280)
- Narendra Kumar, B. Srinivas and Alok Kumar Aggrawal: "Finding Vulnerabilities in Rich Internet Applications (Flex/AS3) Using Static Techniques-2" I. J. Modern Education and Computer Science, 2012, 1, 33-39.(http://www.mecs-press.org/ DOI: 10.5815/ijmecs.2012.01.05)
- Anuj Kumar, Narendra Kumar and Alok Aggrawal: "An Analytical Study for Security and Power Control in MANET" International Journal of Engineering Trends and Technology, Vol 4(2), 105-107, 2013.
- 7. Anuj Kumar, Narendra Kumar and Alok Aggrawal: "Balancing Exploration and Exploitation using Search Mining Techniques" in IJETT, 3(2), 158-160, 2012
- 8. Anuj Kumar, Shilpi Srivastav, Narendra Kumar and Alok Agarwal "Dynamic Frequency Hopping: A Major Boon towards Performance Improvisation of a GSM Mobile Network" International Journal of Computer Trends and Technology, vol 3(5) pp 677-684, 2012.
- 9. Vosselman, G., & Maas, H.-G. (2010). Airborne and terrestrial laser scanning. CRC Press.
- **10.** Kolbe, T. H. (2009). Representing and exchanging 3D city models with CityGML. *Lecture Notes in Geoinformation and Cartography*, 15-31.
- 11. Du, J., Ma, Q., & Liang, H. (2020). Urban flood risk assessment using LiDAR-based 3D mapping. *Natural Hazards, 101*(3), 1267-1284.
- 12. Chen, J., Jiang, S., & Xie, H. (2015). Advances in photogrammetry for smart urban planning. *Photogrammetric Engineering & Remote Sensing*, 81(3), 185-194.
- 13. Shiode, N. (2013). 3D urban models: Recent developments in the digital modeling of urban environments. *GeoJournal*, 78(1), 15-39.
- 14. Biljecki, F., Ledoux, H., & Stoter, J. (2016). An improved LOD specification for 3D building models. *Computers, Environment and Urban Systems*, 59, 25-37.
- 15. United Nations. (2019). World urbanization prospects: The 2018 revision. Department of Economic and Social Affairs.
- 16. Wang, R., & Zlatanova, S. (2013). A framework for 3D GIS data analysis in urban environments. *ISPRS Journal of Photogrammetry and Remote Sensing*, 85, 75-84.
- 17. Tomlinson, R. (2011). *Thinking about GIS: Geographic information system planning for managers* (5th ed.). Esri Press.
- **18.** Narendra Kumar, B. Srinivas and Alok Kumar Aggrawal: "Web Application Vulnerability Assessment" International Journal of Enterprise computing and Business Systems", vol-1, 2011(https://www.atlantis-press.com/proceedings/cac2s-13/6377)
- Megha Singla, Mohit Dua and Narendra Kumar: "CNS using restricted space algorithms for finding a shortest path". International Journal of Engineering Trends and Technology, 2(1), 48-54, 2011.( https://ijettjournal.org/archive/ijett-v2i1p204)

Vol. 1, Issue. 1

- 20. Federal Geographic Data Committee. (2019). National spatial data infrastructure strategic plan.
- 21. Zlot, R., Bosse, M., & Jarzab, Z. (2014). Efficient 3D mapping of complex environments with LiDAR technology. *Robotics and Automation Letters*, 2(3), 235-243.